

# 30W 5ft Vapour Proof Fixture

**innoLED**  
INNOVATION IN LED

140° Beam Angle

180  
LEDs

2



High Quality  
LEDs

TRIDONIC  
DRIVER

1



ENHANCED  
HEAT DISSIPATION via  
2X EDGE MOUNTED  
ALUMINIUM PROFILES  
AND BRIDGES  
& AC PCBA

140°

3



Stainless Steel  
clips



85mm



1560mm

85mm

IP Rating: 65

CCT: Pure White 5000K

Beam Angle: 140°

3mm Aluminium Clad PCBA

Driver: Tridonic

Driver Warranty: 5 years

Life Hours: >50,000 Hours

Voltage: 200-240v

Hz: 50/60Hz

Stainless Steel Clips


3mm Aluminium Clad Printed  
Circuit Board Assembly (PCBA).  
Mounted on 2 x Aluminium  
Profiles to offer better heat  
dissipation and management to  
the 180 LEDs.



Cuts out for easy removal of  
3mm Aluminium Clad Printed  
Circuit Board Assembly



Position of the aluminium bridges can be easily adjusted to any location  
along the profiles. This will enable additional devices, e.g. an emergency  
pack or sensor, to be easily fitted whilst also aiding heat dissipation along  
the profiles and 3mm thick, Aluminium Clad PCBA.  
Four additional bridges are enclosed with installation kit to allow these  
devices to be installed.



# 30W 5ft Vapour Proof Fixture

IP65

3mm Aluminium  
Clad PCBA

**5**  
**YEAR**  
WARRANTY  
ON DRIVER

**3**  
**YEAR**  
WARRANTY  
ON HOUSING

ON  
OFF  
**INSTANT**

Savings On  
Energy &  
Maintenance  
Costs

## PART NUMBER

300133PW

## LUMEN OUTPUT

4000Lm Inside / 2800Lm Outside\*

## POWER

30w

## COLOUR

Pure White 5000K

## CHIP

180 x 2835 LEDs

## DRIVER

Tridonic

## BEAM ANGLE

140°

## LIFE HOURS

>50,000 Hours

## WARRANTY ON DRIVER

5 years

## WARRANTY ON HOUSING

3 years

## IP RATING

65

## VOLTAGE

200-240v

## HZ

50/60Hz

## DIMENSIONS (HXWxD MM)

85x1560x85

## NET WEIGHT kg (lb)

2.46 kg ( 5.42 lb )

## GROSS WEIGHT kg (lb)

2.83 kg ( 6.23 lb )

## HEAT DISSIPATION



## EMERGENCY BACK UP

PN: 300146 (Available as a separate purchase)

## OPERATING TEMPERATURE

-20°C to +50°C


\*4000 lumen output from chips, inside diffuser. \*2800 lumen output outside diffuser.

# 30W 5ft Vapour Proof Fixture

## Packaging


PART NUMBER	SINGLE (HXWxD MM)	CARTON X6 (HXWxD MM)	NW	GW
300133PW	93 x 1570 x 100		2.46 kg (5.42 lb)	2.83 kg (6.23 lb)
300134PW X6		295 x 1585 x 215	16.98 kg (37.43 lb)	18.6 kg (41 lb)

## Installation




A. Suspension Kit  
(PN: 300023 Available as a separate purchase)

Installation pack included with each fixture



B. Ceiling Mounted  
(Fixings included in installation pack)

## Optional Extras:



Vapour Proof  
Suspension Kits  
Part No: 300023



3 Hour Emergency  
Backup Kits  
Part No: 300146

